PAT-NO: JP02002198263A

DOCUMENT- JP 2002198263 A

IDENTIFIER:

TITLE: ELECTROLYTIC

CAPACITOR

PUBN-DATE: July 12, 2002

INVENTOR-INFORMATION:

NAME COUNTRY

YANASE, MASAAKI N/A SHINSENJI, TERUYUKI N/A

MIZOBUCHI, TAIJI N/A

ASSIGNEE-INFORMATION:

NAME COUNTRY

NIPPON KODOSHI CORP N/A

APPL-NO: JP2000396665

APPL-DATE: December 27, 2000

INT-CL (IPC): H01G009/02,

H01G009/028

ABSTRACT:

PROBLEM TO BE SOLVED: To provide an electrolytic capacitor devised to improve its ESR characteristics and elevate the productivity using a separator which has a good impregnation property of functional polymers in the separator and does not impede the polymers from polymerization.

SOLUTION: The electrolytic capacitor has a separator which is inserted between an anode foil and a cathode foil and impregnated with a conductive functional polymer polymerized in the separator as can electrolyte. An electrolytic capacitor having a separator made of base fibers containing polyamide fibers is provided as a basic means. Concretely, the capacitor contains polyamide fibers having a melting point of 250-290°C at least 30% or more in the separator. The binder uses a wet heat fusible resin Povar

or a heat fusible resin polyamide or polyethylene.

COPYRIGHT: (C) 2002, JPO